

## ARTICLE III. GENERAL REGULATIONS

### Sec. 94.122. Introduction.

The proper regulation of the use of certain structures, land, waters and air only through the use of the zoning districts contained within this chapter is neither feasible nor adequate. Therefore, the regulations given in this article, which shall be applied in addition to the district regulations, are necessary to accomplish the intent of this chapter.

(Ord. of 11-18-1991)

### Sec. 94.123. Use regulations.

(a) *Uses restricted.* No structure or land shall be used and no structure shall be erected, structurally altered or relocated, except for a use as permitted and in compliance with the regulations established for the district in which it is located, and the regulations of this section as applicable.

(b) *Uses classified.* For the purpose of this chapter, all uses shall be classified according to the following categories:

- (1) Permitted uses by right are principal uses the permissibility of which is a predetermined right anywhere in the district in which located, subject only to the regulations established governing such use.
- (2) Permitted accessory uses are uses incidental, customary to and commonly associated with a permitted principal use, and therefore permitted on the same basis as the principal use. Accessory uses shall not be permitted prior to principal uses.
- (3) Uses permitted by conditional grant are uses the nature, character or circumstances of which are so unique or so dependent upon the specific contemporary conditions that predetermination of permissibility by right or the detailing in this chapter of the specific standards, regulations or conditions necessary or appropriate at all possible sites to such permissibility, are not practical, but which may be permitted or denied in the districts where listed subject to arriving at mutually agreed conditions and requirements between the petitioner and the village.

(c) *Unclassified uses.* Any use not specifically listed as a permitted or conditional use shall be considered to be prohibited except as may be otherwise specifically provided in districts where uses listed are examples, not an exhaustive listing. In case of question

as to the classification of a use, the question shall be submitted to the planning commission for determination.

(d) *Temporary uses.* Temporary uses such as real estate development field offices, or shelters for construction materials and equipment, may be permitted by the zoning administrator (also see section 94.116(d)2) for periods not exceeding 18 months, renewable for a second 18 months.

(e) *Performance standards.* Performance standards listed in article IV of this chapter shall be complied with by all uses in all districts. Uses, even if listed as permitted, which cannot comply with a particular performance standard become individually prohibited.

(f) *Storage and discharge prohibited.* No waste material such as garbage, rubbish, gasoline, fuel oil, flammables, soils, tars, chemicals, greases, industrial or agricultural waste, or any other materials of such nature, quantity, obnoxiousness, toxicity or temperature so as to contaminate, pollute or harm the waters shall be so located, stored or discharged in a way that would be likely to run off, seep or wash into surface waters or groundwaters; nor shall any such material be allowed to accumulate on any lands of waters so as to be unsightly, dangerous or so as to constitute a nuisance. No nonagricultural gasoline storage tanks shall be permitted in a residential district, and no more than five cords of firewood may be stored on any parcel located in the R-E through R-5 districts.

(Ord. of 11-18-1991)

#### **Sec. 94.124. Engineering regulations.**

(a) *Establishment of grades.* Every building erected, structurally altered or relocated, shall be at a grade approved by the zoning administrator or the planning commission, upon advice of the village engineer, as being in satisfactory relationship with the established street and adjacent lot grades, or with the existing street grade where none is established, with particular consideration for proper drainage and safe vehicular access. Such grade shall also comply with chapter 14. No building or structure shall be constructed in such a way so that any window is below the established grade unless a drainage plan is approved in advance by the building inspector.

(b) *Surface water drainage and erosion control.*

(1) Adequate drainage and soil erosion control plans required. No zoning permit involving building construction or site grading shall be issued unless there is first provided a plan for surface water drainage and soil erosion control, which plan was either approved as part of the land subdivision approval process, or as part of this chapter or a previous zoning permit.

a. Where the plan was previously approved as part of the land division process or a previous zoning permit process, the zoning permit shall not be issued until the zoning administrator is satisfied that required on-site and off-site facilities such as drainage courses, storm sewers or detention areas will be functioning by the time of occupancy permit issuance, unless needed sooner, or that the zoning permit applicant has financially provided a fair share of costs as provided for in the plan.

b. Where a plan was not previously approved, the zoning administrator shall not issue the zoning permit until a current approved plan is provided. Where the zoning permit is subject to planning commission review, the commission, after first hearing the advice of the village engineer, shall be the approving authority. Where commission review is not required, the village engineer shall be the approving authority.

(2) Changing of drainage prohibited. The damming, filling, relocating or otherwise interfering with the natural flow of surface or subsurface water in the natural drainage course or the intended course in an approved drainage and erosion control plan shall not be permitted without filing and gaining approval of a new plan. Approval by the village does not signify nor guarantee approval by other agencies also having jurisdiction.

(c) *Subsurface water drainage.* Where soil maps provided by the U.S. Soil Conservation Service, or experience of the village engineering or public works departments indicates that subsurface groundwater presence or movement, including seasonal-only flows, will be a hindrance to the construction or maintenance of private or public improvements, a zoning permit shall not be issued until a plan is provided by the permit applicant dealing with the expected conditions and the plan is approved as provided for in subsection (b) of this section.

(d) *Sanitation and water supply.* Zoning of land for urban development and its subdividing for human occupancy or use shall only be recommended by the planning commission and adopted by the board after each is assured that the development will be served, by the time of development, with a safe individual or common water supply, and adequate means for disposal of wastewater under terms complying with appropriate state, county and village sanitary regulations.

(e) *Preservation of topography.* In order to protect property owners from possible damage due to change in the existing grade of adjoining lands and to aid in preserving and protecting the natural beauty and character of the landscape, no change in the existing topography of any land shall be made that would result in increasing any portion of the slope to a ratio greater than two horizontal to one vertical, within a distance of 20 feet from the property line, except where retaining walls are built pursuant to article V of this chapter or with the written consent of the abutting property owners and with the approval of the planning commission, or which would alter the existing drainage or topography in any way as to adversely affect the adjoining property. In no case, shall any

slope exceed the normal angle of slippage of the material involved, and all slopes shall be protected against erosion.

(Ord. of 11-18-1991; Ord. of 8-19-2002, § 1)

**Sec. 94.124.1. Telecommunications facilities.**

(a) *Purpose.* The purpose of this section is to provide a uniform and comprehensive set of standards for the development and installation of telecommunications towers, antennas and facilities. The regulations contained herein are designed to protect and promote public health, safety, community welfare and the aesthetic quality of the Village of Weston, while at the same time not unduly restricting the development of needed telecommunications facilities. It is intended that the Village of Weston shall apply these regulations to accomplish the following:

- (1) Facilitate the provision of non-discriminatory and competitive wireless telecommunications services to the residents and businesses of the village.
- (2) Provide a process for obtaining necessary permits for telecommunications facilities while protecting the interests of the citizens of the village.
- (3) Avoid potential damage to adjacent properties through tower failure by establishing structural standards and setback requirements.
- (4) Minimize adverse visual effects of towers, antennas and facilities through careful design and siting standards.
- (5) Minimize the total number of towers in the village through the use of alternative support structures, co-location of new antennas on existing towers and buildings, and construction of towers with the ability to locate four or more providers.
- (6) Protect environmentally sensitive areas of the village, including the protection of migratory birds, through the placement of a maximum height limitation on new towers, the effective prohibition of guyed tower structures, and the prohibition of towers in key habitat areas such as wetlands, shorelands and floodplains.

(b) *Definitions.* The following definitions shall apply to this section unless the context dictates otherwise. All definitions in section 94.113 shall apply unless specifically defined in this section.

*Alternative support structure* means structures including but not limited to clock towers, steeples, silos, light poles, water towers, free-standing chimneys, utility poles and

towers, towers, buildings or similar structures that may support telecommunications facilities.

*Antenna* means any system of wires, poles, rods, reflecting discs, or similar devices used for the transmission or reception of electromagnetic waves when such system is either external to or attached to the exterior of a structure. Antennas shall include devices having active elements extending in any direction, and directional beam type arrays having elements carried by and disposed from a generally horizontal boom that may be mounted upon and rotated through a vertical mast or tower interconnecting the boom and antenna support, all of which are deemed to be a part of the antenna.

*Antenna building mounted* means any antenna, other than an antenna with its supports resting on the ground, directly attached or affixed to a building.

*Antenna ground mounted* means any antenna with its base placed directly on the ground.

*Camouflaged tower* means any telecommunications tower that due to design or appearance hides, obscures, or conceals the presence of the tower and antennas. Camouflaging may be accomplished by a suitable combination of the following examples: lack of lighting, low tower height, non-contrasting colors, screening and landscaping, and others.

*Carrier* means companies licensed by the Federal Communications Commission (FCC) to build personal wireless telecommunications facilities and operate personal wireless telecommunications services. Also called a provider.

*Co-location* means a telecommunications facility comprised of a single telecommunications tower or building supporting multiple antennas, dishes, or similar devices owned or used by more than one public or private entity.

*FAA* means Federal Aviation Administration.

*FCC* means Federal Communications Commission.

*Ground equipment* means telecommunications facility support equipment and buildings.

*Guyed structure* means a telecommunications tower that is supported in whole or in part by guy wires and ground anchors or other means of support besides the superstructure of the tower itself.

*Height, telecommunications tower* means the distance measured from the original grade at the base of the tower to the highest point of the tower. This measurement excludes any attached antennas, and lighting.

*Lattice structure* means a telecommunications tower that consists of vertical and horizontal supports and crossed metal braces.

*Monopole structure* means a telecommunications tower of a single pole design.

*Operation* means other than nominal use; when a facility is used regularly as an integral part of an active system of telecommunications it shall be deemed in operation.

*Provider*: see Carrier.

*Satellite dish* means a device incorporating a reflective surface that is solid, open mesh, or bar configured that is shallow dish, cone, horn, or cornucopia shaped and is used to transmit or receive electromagnetic signals. This definition is meant to include, but is not limited to, what are commonly referred to as satellite earth stations, TVRO5 and satellite microwave antennas.

*Telecommunications facility* means a facility, site, or location that contains one or more antennas, telecommunications towers, alternative support structures, satellite dish antennas, other similar communication devices, and support equipment which is used for transmitting, receiving, or relaying telecommunications signals, excluding facilities exempted under subsection (e).

*Telecommunications facility structure* means a telecommunications tower or alternative support structure on which telecommunications antenna(s) may be mounted.

*Telecommunications tower* means any structure that is designed and constructed primarily for the purpose of supporting one or more antennas, including camouflaged towers, lattice towers, guy towers, or monopole towers. This includes radio and television transmission towers, microwave towers, and common-carrier towers. It shall exclude alternative support structures and those facilities exempted under subsection (c).

*Utility pole mounted antenna* means an antenna attached to or upon an existing or replacement electric transmission or distribution pole, street light, traffic signal, athletic field light, or other approved similar structure.

*Village* means Village of Weston.

(c) *Exemptions*.

- (1) Any pre-existing tower or antenna for which permits have been issued prior to the effective date of this section is exempt from its provisions. Any addition or change to a pre-existing tower shall make such tower subject to all applicable requirements of this section.
- (2) Any new antenna or ground equipment proposed for an existing tower or alternative support structure shall be exempt from the conditional use permit

requirements of this section, and shall only require a land use permit from the village.

- (3) Any tower or antenna that is used exclusively for federally licensed amateur radio is exempt from this section, unless the tower or antenna exceeds 100 feet in height.
- (4) Receive-only television or radio antennas and receive-only satellite dishes are exempt from this section, unless the antennas or dishes exceed 100 feet in height.
- (5) Public safety towers or antennas used for law enforcement and emergency communications are exempt from this section.
- (6) Mobile services providing public information coverage of news of a temporary or emergency nature are exempt from this section.
- (7) Exempt structures under this section are subject to all other applicable provisions of the municipal zoning code of the village.

(d) *Areas where telecommunications facilities may be allowed or prohibited.*

(1) Telecommunications facilities may be allowed as a conditional use only in the following zoning districts, subject to public hearing and review by the planning commission and approval by the board of trustees:

- a. AG agriculture (open space), as defined by the 1992 village rezoning section.
- b. B-3 office (business with outside storage).
- c. M-1 manufacturing and warehousing (general manufacturing).

(2) Telecommunications facilities, except exempt facilities, shall not be allowed in the following areas due to potential harm to the environment:

- a. Wetlands
- b. Shorelands.
- c. Floodplains.

(3) Telecommunications facilities, except exempt facilities, shall not be allowed in the following areas due to potential conflict with other uses of the land:

- a. Habitat areas of threatened or endangered species.

b. Areas designated for planned residential use by the Village of Weston.

c. Significant historic or cultural sites or buildings.

(e) *Conditional use permit required.*

(1) A conditional use permit is required for all telecommunications facilities, except exempt facilities. A conditional use permit is also required for existing towers and alternative support structures which are substantially modified. Sections 94.140, 94.141, and 94.142 of the Village of Weston Municipal Code shall apply to all telecommunication facilities.

(2) The zoning administrator and the planning commission shall review a conditional use permit application for compliance with the provisions of this section. The administrator shall complete a communication facility decision form to record the commission's decision in writing. The conditional use permit will be issued only if approved by the village board of trustees.

(3) In addition to the information required by 94.140, 94.141, and 94.142, the application shall include the following:

a. A legal description of the facility site.

b. A plat of survey showing the parcel boundaries, lease boundaries, tower, accessory structures, ancillary facilities, location, access, landscaping and fencing.

c. An original signature of the applicant, landowner, lessees and holders of easements. The identity of the carrier, service provider, applicant, landowner and their legal status. The name, address and telephone number of the officer, agent or employee responsible for the application.

d. A description of the telecommunications services that the applicant offers or provides to persons, firms, businesses or institutions.

e. In the case of a leased site, a lease agreement or binding lease memorandum which shows on its face that it does not preclude the facility owner from entering into leases on the tower with other provider(s) and the legal description and amount of property leased.

f. A description of the proposed tower's height and capacity, including the potential number and type of antennas and carriers/providers that it can accommodate.

- g. Location of all sites that were considered as possible alternatives to the site being applied for, including existing structures and towers, and the reasons for recommending the current site.
  - h. Photo simulations of the proposed facility from points of interest as identified by the zoning administrator. A photo simulation shall be no smaller than eight inches by ten inches.
  - i. A tabular and map inventory of all the applicant's existing telecommunications facilities located within the Village of Weston and including all of the applicants' existing telecommunications facilities within three miles of the village boundary.
  - j. FCC license numbers and registration numbers, if applicable.
  - k. Copies of finding of no significant impacts (FONSI) statement from the FCC or environmental impact study (EIS), if applicable.
  - l. Copies of the determination of no hazard from the FAA including any aeronautical study determination or other findings from the Wisconsin Department of Transportation bureau of Aeronautics if applicable.
  - m. A report prepared by a structural engineer licensed by the state of Wisconsin certifying the structural design of the tower and its ability to accommodate at least three additional antennas.
  - n. Proof of liability coverage. The Village of Weston shall be a certificate holder in this policy.
  - o. Proof of financial security for tower removal as defined in subsection (i)(2).
  - p. Such other information as the department, the planning commission or the village board of trustees may reasonable require.
  - q. A narrative demonstrating how the applicant has complied with the requirements for the telecommunications facility conditional use permit.
- (4) The village board of trustees may employ on behalf of the village an independent technical expert to review technical materials submitted by the applicant or to prepare any technical materials required but not submitted by the applicant. The applicant shall pay the reasonable costs of such review and/or independent analysis, and shall pay the estimated cost of such services before they are rendered. All invoices, fees and charges shall be paid in full before the issuance of a conditional use permit.

(f) *Co-location*. Co-location shall be the preferred method for establishing new telecommunications facilities. Every effort shall be made to co-locate the proposed facility on existing telecommunications facilities or other similar facilities or alternative support structures.

(1) No tower or structure shall be permitted as a matter of right or shall be permissible as a conditional use in any zoning district unless the applicant proves with sufficient credible evidence to the satisfaction of the village board of trustees, after review by the planning commission, that no existing tower can accommodate the applicant's proposed antenna.

Sufficient credible evidence shall consist of not less than a signed statement by a licensed professional engineer that:

- a. No existing towers or alternative support structures are located within the geographic area required to meet the applicant's engineering requirements.
- b. Existing towers or alternative support structures are not of sufficient height to meet the applicant's engineering requirements.
- c. Existing towers or alternative support structures do not have sufficient strength to support the applicant's proposed antenna and related equipment.
- d. The applicant's proposed system would cause electromagnetic interference with the system on the existing tower or alternative support structure, or the system on the existing tower or alternative support structure would cause electromagnetic interference with the applicant's proposed system.
- e. The fees, cost or contractual provisions required by the owner to share an existing tower or alternative support structure or to adapt an existing tower or alternative support structure for co-location are unreasonable. Costs are considered unreasonable if they exceed 125 percent of new tower construction and development.
- f. The applicant demonstrates that there are other limiting factors that render existing towers or alternative support structures unsuitable.

(2) Tower owners are required to accommodate the applicant's antenna and compatible antennas for at least three additional users (a minimum of four total users) if the tower or structure exceeds 100 feet in height. Any owner authorized to construct a tower or structure who refuses to allow use by other parties by the position of contractual provisions, fees or costs that are unreasonable shall be subject to revocation of the conditional use permit.

(3) All co-location inquiries made to an owner shall be made in writing. An owner who is contacted for the purpose of potential co-location shall respond in writing within 30 days of receipt of a written inquiry.

(4) The village and local government agencies shall have the right to reserve space upon any new tower or upon any tower being substantially modified. Reservation of the accommodation upon the structure shall be acquired during the permit approval process through good faith negotiations with the applicant.

(g) *Design requirements.*

- (1) All towers and antennas must comply with all FCC and FAA rules and regulations.
- (2) The design and installation of all towers and antennas shall comply with the manufacturer's specifications. Plans shall be approved and certified by a registered professional engineer.
- (3) Installation of all towers shall comply with all applicable state building and electrical codes.
- (4) Lattice towers may be allowed if all other requirements of this section are met.
- (5) Monopole structures may be allowed if all other requirements of this section are met.
- (6) Guyed structures shall only be allowed if the applicant demonstrates to the satisfaction of the village board of trustees that no other type of telecommunications facility structure will provide an equivalent level of service. Economic considerations shall not be used in determining whether a guyed structure may be used.
- (7) Height of all telecommunications towers shall be limited to no more than 199 feet above original grade, unless the applicant can demonstrate to the satisfaction of the planning commission that a greater height is necessary to provide coverage meeting the minimum requirements of the FCC license(s) and that no feasible alternative exists to provide coverage, such as co-locating on existing telecommunications towers or alternative support structures, constructing a new tower in a different location or constructing multiple towers of a shorter height.
- (8) New towers shall be designed structurally and electrically to accommodate the applicant's antennas and comparable antennas for at least three additional users

(minimum of four total users). Towers must also be designed to allow for future rearrangement of antennas on the tower and to accept antennas mounted at different heights.

(h) *Performance standards.*

- (1) **Monitoring and reporting.** The applicant shall monitor the telecommunications facility to ensure full compliance with FCC regulations. A report shall be submitted to the department within one month of activation of the facility. Additional reports shall be submitted as needed in conformance with subsection (k) of this section.
- (2) **Insurance.** All towers, antennas and telecommunications structures must be adequately insured for injury to persons and damage to property. The Village of Weston shall be listed as an additional "insured" for liability in the event of tower or facility failure.
- (3) **Security for removal.** The applicant or owner of the telecommunications facility shall provide a bond, irrevocable letter of credit or other suitable financial guarantee as determined by the planning commission to ensure the removal of the facility and restoration of the site to its pre-construction state when use of the facility has been discontinued as defined by subsection (i) of this section. The amount of financial guarantee shall be no less than the cost of removal. The Village of Weston shall be a certificate holder in the financial guarantee.
- (4) **Security.** All telecommunications facilities shall be reasonably protected against unauthorized access. The bottom of all towers from the ground level to 12 feet above ground shall be designed to preclude unauthorized climbing and shall be enclosed with a minimum of a six foot high chain link fence with a locked gate. Guy anchors of guyed towers shall be similarly protected.

- (5) Signs. Signs shall be mounted on the fenced enclosure on or adjacent to the gate prohibiting entry without authorization, warning of the danger from electrical equipment and unauthorized climbing of the tower, and identifying the owner of the tower and telephone number for contact in case of emergency. The sign shall be no larger than six square feet. No commercial advertising signs may be located on a telecommunications facility site.
- (6) Screening and landscaping. All telecommunications facilities, except exempt facilities, shall be designed to blend into the surrounding environment and to hide views of the facility from adjoining properties and public roads to the greatest extent feasible.
- a. Existing mature vegetation and natural landforms shall be preserved to the greatest extent possible.
- b. In locations where existing mature vegetation and landforms will not adequately screen the views of the facility, the site shall be landscaped and maintained with a buffer of plant materials.
1. The landscaped buffer shall effectively screen the view of all tower accessory structures, equipment and improvements at ground level.
  2. The area shall be so designed and planted as to be 75 percent or more opaque between two and six feet above ground level within not less than 24 months of the date of planting.
  3. Upon project completion the owner(s)/operator(s) of the facility shall be responsible for maintenance and replacement of all required landscaping and screening.
  4. In locations where the visual impact of the tower would be minimal, the

landscaping requirement may be reduced or waived by the village board of trustees upon the recommendation of the planning commission.

c. A camouflaged tower may be required by the village board of trustees in order to minimize adverse visual effects.

(7) Lighting. No lighting of the principal telecommunications facility structure shall be allowed unless required by the FAA or the FCC. If required, lighting shall be installed only when no other options are available.

a. Red lights shall be preferred to white lights on the primary telecommunications facility structure or tower.

b. High visibility paint shall be preferred to daytime lighting of any kind on the primary telecommunications facility structure or tower.

c. Lighting of accessory structures and the facility site may be permitted by the village board of trustees upon the recommendation of the planning commission if it is of low intensity, directed inward and downward and is limited to within the facility site boundary.

(8) Access. Access shall be provided by an all-weather gravel or paved driveway.

(9) Setbacks. The following minimum setback distances shall apply:

a. No tower shall be located within 600 feet of any residence other than the residence on the parcel on which the tower is to be located.

b. No tower shall be located within 1,200 feet of any school, or any single-family dwelling within major plats, county plats, or residential zoning districts.

c. Tower structures shall be set back from the nearest property line, and from the

residence on the parcel on which the tower is to be located, by a distance equal to the height of the tower. This setback may be reduced to one-half height of the tower if the applicant submits a report stamped by a professional engineer registered in the State of Wisconsin that certifies that the tower is designed and engineered to collapse upon failure within the distance from the tower to the property line.

d. Tower structures shall be set back from the nearest road right-of-way a distance equal to the height of the tower. The setback may be reduced to one-half the height of the tower if the applicant submits a report stamped by a professional engineer registered in the State of Wisconsin that certifies that the tower is designed and engineered to collapse upon failure within the distance from the tower to the road right-of-way.

e. All guy wire anchors shall be set back at least 25 feet from all property lines; this does not include leased parcels with boundaries located within a larger property. Subsurface anchors or portions of anchors that are subsurface shall be located on the property in which the tower has been constructed.

f. Setbacks required for telecommunications towers shall be measured from the center of the tower structure.

e. The required separation distance between tower and dwelling and/or subdivision may be reduced by obtaining the written agreement of the adjacent property owner, with the approval of the village board of trustees.

(10) Lot size. When a new lot is created for the purpose of locating a telecommunications facility, the minimum lot size for that zoning district shall apply.

(11) Facility construction. All telecommunications facilities approved with a conditional use permit shall be completely constructed and in operation within six months of the

date of approval. An extension of time, not to exceed six months, may be granted by the village board of trustees due to inclement weather or other extenuating circumstances. There is no additional fee for an extension.

(i) *Removal of abandoned telecommunications facility.* It is the express policy of the Village of Weston that telecommunications facilities be removed and their sites restored to their pre-construction state once they are no longer in use and not a functional part of providing telecommunications service.

(1) Removal and restoration of such facilities is the responsibility of the owner of the facility.

(2) The telecommunications facility(s) shall be removed when use of the facility(s) has been discontinued or the facility not been used for its permitted purpose for 12 consecutive months. Mere intent to discontinue use of the facility(s) shall not constitute use. The applicant/owner shall demonstrate through facility(s) lease(s) or other similar instruments that the use will be continued without a lapse of more than 12 consecutive months to constitute actual use. If the applicant cannot demonstrate actual use, the facility shall be considered abandoned and shall be removed.

(3) This restoration shall include removal of any subsurface structure or foundation, including concrete, used to support the telecommunications facility.

(4) Nothing in this section prevents the removal of the facility prior to expiration of the 12 month period.

(j) *Compliance review and revocation.* Each telecommunications facility under the jurisdiction of this section will be reviewed by the village for compliance each year. To facilitate the review, each telecommunications tower owner/operator shall submit annually on or before January 31st of each year, to the zoning administrator a telecommunications facility annual information report. This annual report shall include the owner/operator names, addresses, phone numbers, contact person(s), and any other appropriate information deemed necessary by the village board of trustees. The owner/operator shall supply the number of co-location positions designated, occupied or vacant. The information shall be submitted on a Village form, designated for such use, and shall become evidence of compliance. An annual fee shall be collected from the

owner/operator to fund the review of the requirements of this section. Failure to comply with the requirements of this section may result in the revocation of a conditional use permit, if such action is deemed necessary by the village board of trustees.

(k) *Fees.* Permit and review fees for telecommunications facilities are set as follows:

- (1) Conditional use for telecommunications facility . . . . \$1000.00
- (2) Compliance review for telecommunications facility . . . \$200.00

(Ord. of 1-20-2003, § 1)

**Sec. 94.125. Locational regulations.**

(a) *Location restricted.* No building shall be erected, structurally altered or relocated, or moved onto a lot except in conformity with the following locational regulations and for the district in which it is located:

- (1) *Building must be on a lot.* Every building erected, structurally altered or relocated shall be placed on a lot as regulated in this section.
- (2) Only one principal residence building on a lot. Except as provided in the district regulations for attached single-family dwellings, apartments, manufactured/mobile home projects or planned development projects, only one principal residence building shall be permitted on a lot.
- (3) *Accessory building location.* No accessory building shall be erected, structurally altered or relocated so that any roofed or enclosed portion of the building is closer than ten feet to the principal building on the lot unless it is attached to the building with a wall or roof. Notwithstanding the regulations of section 94.174, in residential use districts one accessory structure per lot, not to exceed 150 square feet in floor area, may be erected to within three feet of a side or rear lot line.

(b) *Setbacks.* The proximity of a building, structure or use to a public street or way is regulated by setback provisions as follows:

(1) Base setback lines are established parallel to the centerline of all existing and proposed public streets and ways as follows:

a. On all public streets as designated on the highway plan or official map adopted by the village or upon a county highway width map or highway plans duly adopted by the county or the state and certified to the village as adopted, the base setback line shall be located at a distance from the centerline of the street equal to half the width of the highway as designated.

b. In the case of existing or proposed frontage streets along principal traffic arteries, the base setback line shall be located on the property line as will be established by the frontage street.

c. Where realignment of an existing street is shown on the plan or a new street is proposed, the location of the base setback line shall be established by the planning commission.

(2) No building shall be erected, structurally altered or relocated so that it is closer to the base setback line than the setback distance specified by the regulations of the district in which it is located; except that in the case of a new residential building to be located adjacent to one or more existing residential buildings placed farther back than the required setback, the following increased setbacks shall apply:

a. Where only one adjacent residence with an increased setback is within 250 feet or two lots, whichever is less, of the proposed residence, the average between the required setback and that of the existing residence shall be applied.

- b. Where the nearest existing residences on both sides of a proposed residence and within 250 feet or two lots of the residence, whichever is less, have increased setbacks, the average of the adjacent increased setbacks shall apply.
- (3) The setback as required in subsection (b)(2) of this section shall be measured from the nearest enclosed or roofed portion of a building; however, the first two feet of an overhanging eave and gutter shall not be included, nor the first six feet of uncovered stairs, landings and fire escapes, provided they do not extend closer than three feet to the lot line.
- (4) The only structures permitted within the setback area shall be necessary highway and traffic signs, public utility lines and poles, telephone booths, walls and fences as regulated in this chapter, rural mailboxes, signs as permitted under the district regulations, structures other than buildings as regulated in this chapter, temporary structures, outdoor lighting installations and unenclosed canopies for lighting and rain protection in conjunction with such uses as automobile fuel sales or drive-in commercial facilities, provided that such canopy structures are approved by the planning commission.
- a. Walks, drives, paved terraces and purely decorative garden accessories such as fountains, pools, statuary, flagpoles, etc., where subject to permanent structure classification, shall be permitted in setback and side yard areas but not closer than two feet to an abutting property line; except walks, drives and paved terraces may abut the street or alley line.
- b. Fences, walls, hedges, clothes poles, children's play apparatus and architectural screening devices where anchored to supports imbedded in the ground shall be considered permanent structures and shall be subject to the regulations of structures

other than buildings, section 94.127.

(5) Vision setback lines at the intersections of public streets and of a street with a railroad or alley, where the grade is not separated, are established as follows:

a. Across each sector between the intersection of a street with a railroad, a vision setback line shall be established by a straight line connecting points on the base setback line and the railroad right-of-way line, which points are located 20 feet on a spur and 120 feet on any other railroad line from the intersection of the base setback line and the railroad right-of-way line.

b. Across each sector between intersecting streets, one or more of which has a designated width of 100 feet or greater, a vision setback line shall be established by a straight line connecting two points on the intersecting base setback lines, which points are located 30 feet from the intersection of the base setback lines.

c. Across each sector between any other intersecting street, a vision setback line shall be established by a straight line connecting two points on the intersecting base setback lines, which points are located 20 feet from the intersection of the base setback lines.

d. Across each sector between an alley and an intersecting street, a vision setback line shall be established by a straight line connecting two points on the intersecting base setback lines, which points are located ten feet from the intersection of the base setback lines.

(6) In the vision setback area, no structure and no landscaping of any kind shall be permitted which obscures vision between a height of 2 1/2 feet to ten feet above the elevation of the center of the intersection except for necessary highway and traffic

signs, public utility lines, and open fences through which there is clear vision.

- (7) On corner lots of record, as of the date of this chapter, the effect of the setback regulations shall not reduce the buildable width of such corner lot to less than 30 feet.
- (8) The setback required for any principal structure or detached structure greater than 150 square feet, shall be ten feet, horizontally, from the nearest defined wetland boundary.  
The lowest entry to any principal structure or detached structure greater than on 150 square feet, must be no less than two feet, vertically, above the nearest defined wetland boundary.

(c) *Side yards and rear yards.* The proximity of any portion of a building to any other lot line other than a street line is regulated by side yard and rear yard provisions as follows:

- (1) No building shall be erected, structurally altered or relocated so that a roofed or enclosed portion of the building is closer to any lot line than the side yard or rear yard distance specified by the regulations for the district in which it is located, except as follows:
  - a. Individual districts may establish differing side and rear yard requirements for accessory structures than for principal structures, and for the driveway side of a lot than for the other sides. The building inspector may require a driveway side yard where, in the inspector's judgment, a present or future owner is likely to install a driveway; and the inspector may deny permits for driveways into side yards less than the driveway side yard requirement.
  - b. In case of any lot of record which has a width less than that required by the district in which it is located, the side yard from a side lot line may be reduced proportionately to

the ratio between the actual width and the required width; however, no side yard shall

in any case be less than half the required side yard, except that the side and rear yards

for detached garages may be reduced to five feet.

c. In the case of single-family attached, multiple-family, commercial or industrial use

structures, two or more buildings on adjoining lots may be erected with common or

directly adjoining walls provided the requirements of the Administrative Code relative

to such construction are complied with and provided that at both ends of such "row"

type buildings, the applicable side yard requirements shall be complied with.

(2) The side yards and rear yards shall be measured from the roofed or enclosed portion of a building, including overhanging eaves, except that the first two feet of an overhanging eave and gutter shall not be included where the yard requirement exceeds five feet.

(3) In all districts that allow common wall construction or do not require a side yard or rear yard, all buildings erected, structurally altered or relocated having any rooms required by the building code to have light and ventilation by windows opening directly to the outer air shall provide courts as follows:

a. *Outer courts.* The width of any required court shall be not less than the height of any opposing wall forming the court. The depth of an outer court formed by walls on three sides shall be not greater than 1 1/2 times the width.

b. *Inner courts.* The least dimension of an inner court shall be not less than the full height of the walls enclosing such court.

(d) *Height regulations.*

(1) *Maximum height restricted.* In any district, no building or structure shall be erected or

structurally altered to a height in excess of that specified by the regulations for that district.

- (2) *Exceptions.* The following shall be excepted from the height regulations of all districts, subject to subsection (d)(4) of this section:
- a. Chimneys, flues, electrical or telephone and telegraph transmission and distribution structures.
  - b. Subject to approval of the planning commission, who shall be guided by the standards of article V of this chapter, cooling towers, elevator bulkheads, fire towers, monuments, penthouses, stacks, scenery lofts, tanks, water towers, ornamental towers, spires, wireless or broadcasting towers, masts, aerials and dish antennae and necessary mechanical appurtenances. PCS towers and similar types are not included herein.
- (3) *Increase permitted.* Subject to approval of the planning commission, who shall be guided by the standards of article V of this chapter, the maximum height in commercial, industrial and other nonresidential districts as permitted under article XI may be increased provided the required setbacks and offsets affecting the portion of the structure having increased height shall be increased by one foot for each foot in excess of the height limit in the district, but in no case more than one story.
- (4) *Airport runway clearance zone.* Heights as permitted in this chapter may be further restricted as provided for in Wis. Stats. § 66.23(6)(am) in airport affected areas where structures, including those otherwise exempt from height regulations by this chapter, may be subject to height limitations greater than those imposed in this chapter in order to provide unobstructed airspace off the ends of airport runways.

(Ord. of 11-18-1991; Ord. of 12-6-99, § 1)

**Sec. 94.126. Lot regulations.**

(a) *Street access required.* No lot shall be created nor any building placed on a lot that does not access onto a public street or approved private street or way as provided in subsection (b) of this section. Where the access street is not open to traffic at the time of zoning permit application, or is dedicated to only a portion of the minimum width required for that street, issuance of the zoning permit may be denied or delayed until the zoning administrator is satisfied that:

- (1) In the case of an unopened or partially opened street, the necessary utilities, drainage or paving will be provided in time to facilitate the development or construction authorized by the permit, as assured by execution of a developer's agreement.
- (2) In the case of a street not dedicated to its fully planned width, that the zoning permit applicant has dedicated all that is required from the applicant's ownerships, and that the resulting available width is sufficient to accommodate the necessary underground utilities and street paving adequate to assure access by public emergency vehicles.

(b) *Approved private street or way.* Subject to the approval of the planning commission, approved private streets or ways that lead to public streets may be substituted for direct public street access provided the commission finds that:

- (1) It is not in the public interest to require direct public street access at the time of zoning permit application.
- (2) The proposed development will not preclude provision of public street access in the future.
- (3) Permanent easements satisfactory to the commission are recorded to ensure continued function of the approved private street or way, which easements show no liability of the village to assume maintenance of the easement area.
- (4) Any buildings erected or other improvements made do not interfere with future provision of public streets, and are located so as to be in conformance with such future

streets. The commission may require that a future street reservation be recorded to set forth the commission's intent and ensure compliance with this section.

(c) *Lot size.*

(1) *Minimum required.* No lot shall be platted of less area or width than required by the district regulations in which the lot is placed.

(2) *Future resubdividability required.* Whenever a lot is proposed to be platted larger than the minimum lot size required by the district regulations, or in the case of certain districts that require initial large lot areas due to the unavailability of public sanitary sewer or water at the time of platting, but which districts permit redivision of such lots when such utilities become available, the planning commission shall require that the future possible divisions be taken into account in the initial lot layout so as to facilitate such future divisions, and at the commission's discretion, or if required by the district regulations, the future lot lines be shown, or actually created, so that initial construction does not inadvertently preclude such future resubdividability.

(3) *Lot area, how measured.* For the purposes of this chapter, the lot area shall be measured from the base setback line and shall be exclusive of the area between that line and the existing property line ultimately to be included in street right-of-way. Wetlands and floodplains may be included in minimum required lot area provided there remains sufficient area not in wetland or floodplain to accommodate the proposed building, access drive and on-site sanitary system and water well where such services are not provided via off-site public utilities.

(4) *Lot width, how measured.* Where a minimum lot width is specified by individual district regulations, measurements shall be applied as follows:

- a. For interior, rectangle-shaped lots, the width shall be measured at the rear of the required setback area.
- b. For corner lots, the width shall be measured at the rear of the required setback area on the narrowest street side; and the district regulations may also provide that the lot width be up to 20 percent greater than for an interior lot in the same district.
- c. For interior irregular-shaped lots such as pie-shaped or L-shaped lots, the width specified by the district regulations for rectangular interior lot shall constitute the required minimum average width of irregular interior lots, measured at the point of average depth. Such lots shall have a minimum frontage on a street or approved way of at least 33 feet, or greater if specified in the district regulations.

(5) *Lot area reduction.* No lot area shall be reduced by any means so as to create a lot of less than the required size or so that the existing setbacks, yards, open space or lot area would be reduced below that required by the regulations for the district in which such lot is located.

(d) *Residential density.* Density is the relationship between land and population, expressed in this chapter as square feet of land, or acres of land, per housing unit.

(1) *Purpose of control.* As set forth in Wis. Stats. § 62.23, the distribution of population at various locations and intensities within the community is one of the essential purposes of community planning and of zoning regulation for the health, wealth, safety and enjoyment of the community population.

(2) *Method of control.* The most basic form of control is division of the community into various zones in which population is permitted or prohibited from residing. Additionally, the residential zones are further divided into districts permitting various types and densities of residential use. In single-family detached development, density is

established by the minimum required lot size. In attached single-family, manufactured/mobile home, and multiple-family development, density is established by a required ratio of land area per dwelling unit. These basic controls are potentially modified by the open space requirement described in subsection (e) of this section.

(3) *Shared land area.* The land area provided for one housing unit shall not also be counted for another unit in order to meet the density requirement of the district in which the units are located, subject to the following:

a. In group projects with more than one building on the lot or a series of lots, all in single ownership, or in multiple ownership but bound together by land covenants running with the land so as to form a single project, developed and maintained in a coordinated way to share use of land area, open space and possibly also street access or parking, the density requirement of land area per individual housing unit is met so long as the division of total land area by total dwelling units is met.

b. Where it is desired to separate individual or groups of buildings from such a project relationship, any individual lots so separated and the residual lot or group of lots remaining shall comply with the land area requirement of the zoning district.

(e) *Open space.*

(1) *Minimum required.* No building intended partially or entirely for residential use shall be erected, structurally altered, moved onto, or relocated on a lot unless there is provided usable open area as specified by the regulations for that district.

(2) *How measured.* To be considered usable, such open area shall be readily accessible at or near ground level and of a size and shape that can be reasonably considered to provide for the amenities and necessities of light, air, landscaping, play space,

walkways, drying yard, garden, etc., but shall not include parking areas and drives.

- (3) *Shared open space.* The open space provided for one housing unit shall not also be counted for another unit in order to meet the open space requirements of the district in which the units are located, subject to the same group project modifications set forth in subsection (e)(2) for land area.

(Ord. of 11-18-1991)

### **Sec. 94.127. Structure regulations.**

- (a) *Structures other than buildings.*
  - (1) *Structures less than six inches in height.* Structures not classified as buildings and less than six inches in height from the approved surface of the ground shall not be subject to the setback, side yard or rear yard or building size or open space requirements of this chapter except as may be specifically otherwise provided, such as swimming pools.
  - (2) *Structures six inches or more in height.* Structures not classified as buildings and six inches or more in height from the surface of the ground shall be subject to the setback, yard, height and open space requirements of this chapter except as may be specifically otherwise provided, such as in section 94.125(b)(4). Ground- or building-mounted air conditioning condensers or satellite or other dish-shaped antennae shall not be located in required front or side yards unless specifically approved by the planning commission.
  - (3) *Fences.*
    - a. *Permit required.* No fence, except those fences provided for in subsection (a)(3)b. of this section, shall be located, moved, reconstructed, extended, enlarged, converted or

structurally altered without a zoning permit and without being in conformity with all

the structural requirements of local and state building codes. All fences, whether or

not requiring a permit, shall present the nonstructural face outward.

b. *Fences permitted without a zoning permit.* The following fences are permitted as

specified without a zoning permit subject to the following restrictions and providing

that no fence in any way interferes with traffic visibility:

1. A snow fence shall be permitted in all districts when comprised of wooden pickets

bound together by wire and not exceeding four feet in height and removed between

May 1 and November 1 of each year. No privately owned snow fence shall extend

beyond the highway right-of-way line.

2. Fences to be installed around swimming pools shall be governed by the provisions

of subsection (a)(4)e. of this section.

3. Agricultural fences in the AG, RR and S/R districts shall be permitted provided that

they do not extend into the highway or road right-of-way.

4. Decorative fences not exceeding two feet in height shall be permitted in all districts.

c. Fences or walls for which a zoning permit is required.

1. Residential fences or walls are permitted on the property lines in residential

districts, but shall not be greater than six feet in height in the side yard and rear yard

or greater than four feet in height in the street yard. Residential fences or walls may

be six feet in height in the rear street yard of a double-frontage lot.

Residential

fences or walls shall be not closer than two feet to any public right-of-way, and no

fence or wall greater than 2 1/2 feet above the street grade shall be placed within the vision triangle. (See section 94.125(b)5.) No fence or wall that

incorporates barbed or similar security wire or sharpened top spikes shall be permitted in residential districts.

2. Security fences or walls are permitted in all districts other than residential districts.

Security fences or walls may be placed on side and rear property lines, but shall not be located closer than two feet to a public right-of-way line. (See section 94.125(b)5.) Security fences or walls shall not exceed eight feet in height.

3. Reference to "on the property line" shall mean adjacent to but not overlapping, including not obscuring vision lines to surveying pipes marking the property line.

(4) Swimming pools.

a. *Compliance.* A zoning permit shall first be required before any swimming pool,  $\geq 32$ " in depth, both residential and nonresidential, is installed, enlarged or altered. All pools  $\geq 24$ " must be located in the rear yard and must meet appropriate setback regulations for accessory structures for the zoning district in which the property is located.

b. *Permit application.* All drawings and plans for the construction, installation, enlargement or alteration of any such swimming pool and its accessories shall first be presented to the zoning administrator for examination and approval as to proper location and construction. The plans shall be drawn to scale and shall indicate all distances and dimensions so as to accurately show all lot lines, and all information pertaining to the location of the pool, walk, deck, fence construction, water supply system, drainage and water disposal systems, and all accessories pertaining to the swimming pool. Such plans shall also indicate the vertical elevations of the pool.

c. *Location.* No portion of a swimming pool outside a building, including a surrounding deck and fence, shall be located in a street setback yard nor in a required side or rear yard setback but in no case less than eight feet from any side or rear property line or building line. Such pool shall also comply with Wis. Admin. Code, ILHR 90 HFS 172 and with any local regulations with respect to the distances from an on-site sewage disposal absorption system. Pumps, filters and pool water disinfection equipment installations and all other accessories shall be located at a distance not less than eight feet from any side property line.

d. *Maximum pool size.* No pool, together with its deck area, shall occupy more than 40 percent of the usable area of the rear yard excluding all garages or other accessory structures located in such area.

e. *Safety features.* No swimming pool,  $\geq 32''$ , shall be installed or maintained unless:

1. There shall be erected and maintained a sound and secure fence not less than four feet in height completely surrounding the pool or surrounding the yard in which the pool is located. In lieu of a fence, the zoning administrator may, on a case-by-case basis, approve other measures, such as a lockable pool cover that can hold up to 500 lbs or more, designed to prevent unauthorized access to the pool.

2. Every gate or other opening in the fence enclosing such pool, except an opening to the dwelling or other main building of the premises, shall be kept securely closed and locked at all times when the owner or occupant of the premises is not present at such pool. All such gates shall be equipped with self-closing and self-latching devices placed at the top of the gate.

f. *Control of pool lighting.* No lighting may be installed in connection with the pool that shall throw any direct rays beyond the property lines.

g. *Water drainage.* No water drained from a pool shall be discharged over or near any septic tank, septic field or well, nor into neighboring property except to the approved drainage system for the area.

(b) *Building size and floor area regulations.*

(1) *Minimum required.* Those portions of buildings intended for residential use shall provide a minimum floor area, as specified by the district regulations in which such buildings are located, and either a minimum basement and utility area or attached \ garage, or in lieu thereof increased floor area if required by the district regulations; and the minimum residential floor area shall be based upon either the number of bedrooms,

or upon total rooms exclusive of bathrooms, rooms being defined by the building code.

- (2) *Maximum permitted (floor area ratio)*. The maximum total floor area of the buildings on a lot shall not exceed that permitted under the floor area ratio (F.A.R.) as specified by the regulations for the district in which such building is located.
- (3) *How measured*. Floor area shall be measured at each level from outside of wall to outside of wall, but for the purpose of determining minimum required floor area shall not include any area having an average height of less than seven feet, basements, open porches, attics, public hallways or storage areas. For the purposes of minimum and maximum floor area regulations in the case of floor levels built into a hillside, the floor area subject to regulation shall be the area extending back in depth half the length of the exposed wall at grade.

(Ord. of 11-18-1991, Ord. of 11-24-2006)

#### **Sec. 94.127.5. Prohibiting solid fuel-fired outdoor heating devices.**

(a) Purpose. The purpose of this section is to promote the health and well being of the residents of the Village of Weston.

(b) Definition. "Solid fuel-fired outdoor heating device" means an outdoor device designed or constructed for solid fuel combustion so that the usable heat derived is for the interior of buildings.

(c) The construction or use of "solid fuel-fired outdoor heating devices" within the village limits of the Village of Weston is prohibited, except in RR or AG Zoning, provided that the device is at least 50 feet from a rear or side lot line, and not located in the front yard.

(Ord. of 4-21-2003, § 1)

#### **Sec. 94.128. Farming and animal regulations.**

(a) *Statement of intent*. The village at the adoption of this section [November 18, 1991], and for at least five decades into the future according to the master plan this chapter seeks to implement, is and will continue to be a mixture of extensive urban and rural/agricultural areas. Consistent with that character, and with renewed interest in conserving undeveloped areas as long as possible before being needed for development, it is the intent of this section to permit farming and the keeping of farm livestock as much as possible throughout large portions of the village. Promoting such farming can also serve to help sustain the connection between urban man and the productivity of the land,

and to foster understanding of related elements such as soil conservation, animal husbandry, etc. In order to avoid undue offense to nearby urban development, especially residential areas, it is necessary to prohibit those intensive farm activities envisioned to occur in the county's less urban towns in the county agricultural preservation plan.

(b) *Household pets and commercial kennels separately regulated.* This section does not intend to establish regulations for household pets, to be regulated by chapter 10 separate from this chapter, nor for boarding and breeding kennels for dogs, uses which are regulated in this chapter apart from this section.

(c) *Agricultural uses prohibited.* Those agricultural operations and associated activities generally understood in the county farmland preservation plan as agribusiness rather than common farming, and intended for nonurban towns due to the heavy impact of such uses upon the land or upon potential nearby urban uses, are prohibited, including but not limited by virtue of explicit listing to such operations as:

- (1) Alcohol distillation for fuel or food.
- (2) Animal or plant fat rendering or processing.
- (3) Commercial feedlots.
- (4) Commercial egg production exceeding 1,000 laying hens.
- (5) Dairy processing plants (cheese, milk, etc.).
- (6) Drying and dehydrating fruits and vegetables.
- (7) Grain elevators and grist mill operations.
- (8) Fertilizer production or sales.
- (9) Fur farming.
- (10) Livestock sale facilities.
- (11) Meat packing, slaughterhouse or sausage plants.

These categories of excluded uses which also qualify as manufacturing may be permitted in the industrial district of this chapter if the performance standards of this chapter can be met.

(d) *Crop and tree farming permitted.* The raising of field crops, tree plantations and plant nurseries and all related activities shall be permitted in any district except as may be restricted in the WPD, OWC, OWP, OME, OFP or OCS districts, and except that a commercial greenhouse in excess of 1,000 square feet shall be permitted only in an

agricultural or commercial district or on an existing operation of at least ten acres, and except that crops requiring application of inorganic chemicals or fungicides shall not be grown closer than 200 feet to a residence.

(e) *Animal husbandry permitted.* The keeping or raising of non-household pets such as horses, poultry, beef and domestic livestock, and all related activities, shall be permitted in the AG (Agriculture) or RR (Rural Residential) districts except as may be restricted in the WPD, OWC, OWP, OME, OFP and OCS districts subject to the following:

- (1) No such use shall be permitted on a lot less than three acres in area exclusive of existing rights-of-way.
- (2) Except on an existing farm operation of at least 20 acres, such use shall be limited to one animal unit of livestock per acre. An animal unit shall be defined as any one of the following: one steer of 1,000 pounds weight or less, one beef cow, one dairy cow and calf, two head of stock prior to freshening, two llamas, one swine, five sheep, two goats, ten rabbits, 20 fowl, one horse or pony.
- (3) The keeping of hogs and pigs intended for slaughter or market, goats, roosters or fur-bearing animals, other than rabbits and ferrets, shall not be permitted except on an existing farm operation of at least ten acres; however, up to two such animals or poultry, except hogs, may be kept as pets in the AG (Agriculture) or RR (Rural Residential) district on a lot at least 3 acres or more. These pets shall not be allowed to run free and shall be adequately fenced to keep them confined to such area.
- (4) The keeping of horses for private use shall be permitted on the basis of one horse per acre. The operation of a commercial stable for boarding or training shall be permitted only as a conditional use.
- (5) Any area where poultry, domestic livestock or horses are allowed to pasture or run shall be adequately fenced to keep them confined to such area.
- (6) In the AG (Agriculture) or RR (Rural Residential) districts other than on an existing farm of at least 20 acres, no building housing domestic livestock, poultry or horses shall be permitted closer than 50 feet to an adjoining lot line of a property zoned residential.
- (7) The stocking of private ponds with fish shall be permitted in any district, except that commercial fish hatcheries or the operation of commercial fishing ponds shall be permitted only as a conditional use.
- (8) This section does not intend to establish regulations for household pets such as rabbits, ferrets, fish, song birds, potbelly pigs, cats or dogs which are kept

indoors. Household pets such as dogs or cats are regulated separate from this chapter through chapter 10.

(Ord. of 11-18-1991, Ord. of 11-24-2006)

Cross References--**Animals, ch. 10.**